Ref #	Hits	Search Query	DBs	Default Operator	Pluṛals	Time Stamp
L1	4	10/791244	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:41
L2	5.	channel adj estimat\$3 same past same future same center	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2007/09/27 10:05
L3	9	channel adj estimat\$3 and past same future same center	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:10
L4	4228	375/346	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:55
L5	2131	375/285	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/09/27 09:55
L6	2561	455/296	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:55
L7	796	327/310	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:55

		•				
L8 _	361	327/384	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:55
L9	759	327/551	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:56
.L10	241	channel adj estimat\$3 and past same future	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:56
L11	32	10 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:56
L12	13	10 and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/09/27 10:02
L13	3	10 and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:00
L14	1	10 and 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:00

			<u> </u>			
L15	1	10 and 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:00
L16	1	10 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/09/27 09:56
L17	1	(channel adj estimat\$3 and past same future same center).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:00
L18	35	channel adj estimat\$3 with past with future	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	.2007/09/27 10:08
L21 ,	1	channel adj estimat\$3 with past with future and minimum adj mean adj square adj error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:09
L22	3	channel adj estimat\$3 and past with future with (center or present or actual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:11
L23	. 1	channel adj estimat\$3 with matrix and past with future with (center or present or actual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:11

S1	4	"10/206119"	LIC DCDLIB.	OR	ON	2006/06/27 08:40
21	1	"10/396118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2000/00/27 00:40
S2	9	channel adj estimat\$3 with updat\$3 with (minimum adj mean adj squareS1 adj error MMSE) same channel near estimat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 21:46
S3	15	(past previous) with channel adj estimat\$4 and (middle center present) with channel adj estimat\$3 and (future next) with channel adj estimat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 21:47
S4	167	(past previous) with channel adj estimat\$4 and (future next) with channel adj estimat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 21:47
S5	91	(past previous) with channel adj estimat\$4 same (future next) with channel adj estimat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/09/25 21:47
S8	0	S5 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 21:48
S9		updat\$3 with (minimum adj mean adj squareS1 adj error MMSE) same channel near estimat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 21:48

S15	2	(past previous) with channel adj estimat\$4 and (middle center present) with channel adj estimat\$3 and (future next) with channel adj estimat\$3 and (minimum adj mean adj squares adj error MMSE) same channel near estimat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 21:52
S16	4	(US-20030210752-\$ or US-20020136158-\$).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 21:52

Web Images Video News Maps Gmail more v

drjatorres@gmail.com | My Notebooks | Web History | My Account | Sign out

Google

"channel estimate" matrix past future center

Search

Advanced Search Preferences

Web

Results 1 - 10 of about 566 for "channel estimate" matrix past future center. (0.14 seconds)

Reduced complexity sliding window based equalizer - Patent 20050031024
For use in estimating a desired portion of data of the received vector, a past, a center and a future portion of a channel estimate matrix is determined. ...

www.freepatentsonline.com/20050031024.html - 46k - Cached - Similar pages - Note this

Reduced complexity sliding window based equalizer - Patent 20060034398 H, using the **future** and **past** portions of the channel response **matrix**, (step 72)...... The complexity of processing the **channel estimate** varies for each ... www.freepatentsonline.com/20060034398.html - 67k - Cached - Similar pages - Note this [More results from www.freepatentsonline.com]

[PDF] A bit-streaming, pipelined multiuser detector for wireless ... bits receive interference from the past or future overlapping sym- of the interfering users and the desired user. The center matrix ... ieeexplore.ieee.org/iel5/7344/19936/00922187.pdf - Similar pages - Note this

[ррг] A Stochastic Subspace Algorithm For Blind Channel Identification ... by IMEC (Flemish Interuniversity Microelectronics Center) and. IUAP P4-02. (1997-2001): the columns of the block Hankel matrix of past outputs Yp, ... ieeexplore.ieee.org/iel4/6110/16398/00761234.pdf?arnumber=761234 - Similar pages - Note this
[More results from ieeexplore.ieee.org]

[PDF] Real-Time DSP Multiprocessor Implementation for Future Wireless ... File Format: PDF/Adobe Acrobat - View as HTML inversion step is avoided when updating the channel estimate. for Mobile Communication: Past, Present and Future," IEEE Communications Magazine, ... cmc.rice.edu/docs/docs/Jon2000Aug5Real-TimeD.pdf - Similar pages - Note this

resign Real-Time Algorithms and Architectures for Multiuser Channel ...
File Format: Adobe PostScript - View as Text
It is also possible to feed the channel estimate matrix directly into ... from interference caused by the past or future overlapping symbols of different ...
cmc.rice.edu/docs/docs/Raj2000Aug1EfficientA.ps - Similar pages - Note this
[More results from cmc.rice.edu]

Reduced complexity sliding window based equalizer - US Patent 7042967 H, using the **future** and **past** portions of the channel response **matrix**, (step 72). Every time a new **channel estimate** is obtained, the channel filter is ... www.patentstorm.us/patents/7042967-description.html - 71k - Cached - Similar pages - Note this

Baseband processor with look-ahead parameter estimation ...
In the present invention, past, current, and possibly future symbols would be hypothesized, and there would be a channel estimate associated with each. ...
www.patentstorm.us/patents/6570910-description.html - 84k Cached - Similar pages - Note this

[PDF] Task Partitioning Wireless Base-station Receiver Algorithms on ...

File Format: PDF/Adobe Acrobat - View as HTML

stands, for the partial correlation between the future bits, of the interfering users and the desired user. The. center matrix ...

www.ece.rice.edu/~cavallar/papers/00icspat_sridhar.pdf - Similar pages - Note this

IPSI Katholieke Universiteit Leuven

File Format: Adobe PostScript - View as Text

the columns of the block Hankel matrix of past outputs ... Similarly we project the past outputs onto the future out- the channel estimate: ...

ftp://ftp.esat.kuleuven.ac.be/pub/SISTA/vandaele/reports/98-76.ps.Z -

Similar pages - Note this

1 2 3 4 5 6 7 8 9 10

Download Google Pack: free essential software for your PC

"channel estimate" matrix past future | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

"channel estimate matrix" past future center "minimum mean square error" - Google Search Page 1 of 1

Web	<u>Images</u>	<u>Video</u>	<u>News</u>	<u>Maps</u>	<u>Gmail</u>	more •											
www.mara.eh.r#MidasaA	And Andrews Control of the Control o	*		drja	atorres(@gmail.c	om	My N	Votebo	ooks	<u>Web</u>	Histo	ry M	у Асс	ount	Sign ou	<u>it</u>
Goog	<u> jle</u>		"cha	annel es	stimate	matrix" pa	ast futi	ure c	enter	"n [Searcl		ivance eferen	d Search	1	•	
Web	Results '	1 - 4 of 4	for " <u>ch</u>	nannel e	estimate	e <u>matrix</u> "	past	futu	ire ce	nter '	' <u>minin</u>	num r	nean	squa	re err	or" (0.2	_ 21

Tip: Try removing quotes from your search to get more results.

Reduced complexity sliding window based equalizer - Patent 20050031024 The past and future portions of the channel estimate matrix are used to adjust factors in the minimum mean square error algorithm. ... www.freepatentsonline.com/20050031024.html - 46k - Cached - Similar pages - Note this

[PDF] Real-time algorithms and architectures for multiuser channel ... past or future overlapping symbols of different asynchronous is related to the RLS approach for minimum mean-square-error. (MMSE) estimation. ... ieeexplore.ieee.org/iel5/7693/21888/01017526.pdf?arnumber=1017526 -Similar pages - Note this

IPDFI Real-time algorithms and architectures for multiuser channel ... It is also possible to feed the channel estimate matrix di- ... past or future overlapping symbols of different asynchronous ... ieeexplore.ieee.org/iel5/7693/21888/01017526.pdf - Similar pages - Note this

Reduced complexity sliding window based equalizer - US Patent 7042967 2 is an illustration of a center portion of the banded channel response matrix. H, using the future and past portions of the channel response matrix. ... www.patentstorm.us/patents/7042967-description.html - 71k -Cached - Similar pages - Note this

In order to show you the most relevant results, we have omitted some entries very similar to the 4 already displayed.

If you like, you can repeat the search with the omitted results included.

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google



ew Career Opportunitie

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

D		.: -	•	 rc	_
-	а,				п

Advanced Search Preferences

		"channel estima	ite matrix" AND past AN	ND future AND c	Search
•		Journal sources	☑ Preferred Web sources	☑ Other Web sources	Exact phrase
Searched	for::	:All of the words:"	channel estimate matrix	" AND past AND future	AND center AND "minim
Fou	ınd::	:1 total 0 journa	al results 0 preferred w	eb results <u>1 other w</u>	eb results
Sort	by::	:relevance date		•	
Jan detection of the control of the	al-time ection 2003 hannel ess-ba trix di sed by nchror	algorithms and a in wireless ba - Will estimation and disedusers. It is a rectly into the notice the past or futurous www.ece.rice.edu/~	rchitectures for multius //ireless Communication etection in future code also possible to feed the nultistage detectorsultime overlapping symbols skrishna/pdfpapers/tw	s, [PDF-348K] e-division mul- tiple- e channel estimate ffers from interference s of different comm02.p]	n and All of the words Refine
				··· forces	,

:::Iddu

Search "channel estimate matrix" AND past AND future AND c ✓ Journal sources ✓ Preferred Web sources ✓ Other Web sources ☐ Exact phrase

> Downloads | Library Partners | Subscribe to News Updates | User Feedback Advertising | Tell A Friend | Terms Of Service | Privacy Policy | Legal Powered by FAST © Elsevier 2007







About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

Advanced Search Search Preferences

	"channel estimate" AND past AND future AND center A Search	
	✓ Journal sources ✓ Preferred Web sources ✓ Other Web sources ☐ Exact phrase	
Sear	ched for:: :All of the words:"channel estimate" AND past AND future AND center AND "minimum	me
	Found:: :30 total 0 journal results 13 preferred web results 17 other web results	
	Sort by:: :relevance date	
	Save checked results Email checked results Export checked results	Re
1.	Fast Computation of Channel-Estimate Based Equalizers in Packet Data [PS-327K]	us foi
	Aug 2003Computation of Channel-Estimate Based Equalizersnd that a minimum mean	<u>car</u>
	{square{error decision feedbackthe use of channel{estimate{based	<u>ch:</u>
	equalizationwith GE R & D Center, Schenectadylters of a minimum mean{square {error de- cision	COV
	[http://www.utdallas.edu/~aldhahir/fast.ps]	<u>dal</u>
	more hits from [http://www.utdallas.edu]	<u>de</u>
	<u>similar results</u>	<u>de</u>
2.	Reduced Rank Adaptive Filtering Applied to Interference Mitigation in Wideband CDMA	<u>eq</u> ı
	Systems Sud, Seema , May 2002	<u>fac</u>
	research presented here shows how minimum mean square error (MMSE) receivers	<u>fee</u>
	implemented via18 2.3.2 Minimum Mean Square Error (MMSE): The Wiener	<u>iee</u>
	FilterRequirements 44 4 Minimum Mean Square Error (MMSE)/Rake Receivers 47 4.1 The	<u>iee</u>
•	Full text thesis available via NDLTD (Virginia Tech)	inf
	view all 8 results from NDLTD	mı.
	<u>similar results</u>	ray
3.	Real-time algorithms and architectures for multiuser channel estimation and detection in	tra wic
	wireless ba - Wireless Communications, [PDF-348K] Jan 2003	Or
	implementation in this paper. The ML channel estimate is obtained using the	
	knowledge ofusers. It is also possible to feed the channel estimate matrix di- rectly into the multistagedirect computation of the ML based channel estimate involves the	AI
•	computation of the correlation	F
	[http://www.ece.rice.edu/~skrishna/pdfpapers/twcomm02.p]	
	more hits from [http://www.ece.rice.edu] similar results	
[F] A	Ultra-wideband Small Scale Channel Modeling and its Application to Receiver Design	
□ 4.	McKinstry, David R., Jul 2003	
	him and I believe his guidance has well prepared me for the future . I also thank Dr.	

		Jeffrey Reed and Dr. Dennis Sweeney for214 9.1 Summary and Future Workbicones, NLOS 92 Figure 4-1. 1 GHz bandwidth pulse with center frequency 4 GHz 96 Figure 96 Figure Full text thesis available via NDLTD (Virginia Tech) view all 8 results from NDLTD similar results
		PubTeX output 1998.11.04:1210 [PDF-892K] Dec 1998 IEEE JOURNAL ON SELECTED AREAS IN COMMUNICATIONS, VOL. 16, NO. 8, OCTOBER, 1998 1459 A Space-Time Coding Modem for High-Data-Rate Wireless Communications Ayman F. Naguib, Member, IEEE, Vahid Tarokh, Member, IEEE, Nambirajan Seshadri, Senior Member, IEEE, and A. [http://www.comsoc.org/sac/private/1998/oct/pdf/16sac08] similar results
	6.	Uppsala University Signals and Systems THE MULTIVARIABLE DECISION [PS-3MB] Dec 1999parameters can be tuned to give a minimum meansquare error . The second DFE is de rivedequations for an optimum realizable minimum meansquare error DFE are obtained. The zeroforcingobtaining the param eters of a minimum meansquare error DFE and present the conditions [http://www.signal.uu.se/Publications/psu/a993.ps] more hits from [http://www.signal.uu.se] similar results
\$F.	7.	Ultra-wideband small scale channel modeling and its application to receiver design 1979- McKinstry, David R., , Jan 2003him and I believe his guidance has well prepared me for the future. I also thank Dr. Jeffrey Reed and Dr. Dennis Sweeney for214 9.1 Summary and Future Workbicones, NLOS 92 Figure 4-1. 1 GHz bandwidth pulse with center frequency 4 GHz
F*	8.	Improved Receivers for Digital High Frequency Communications: Iterative Channel Estimation, Equalization, and Decoding Otnes, Roald, Jan 2002NTNU in Trondheim, but reside at UniK – University Graduate Center (Universitetsstudiene på Kjeller) next door to FFI. UniKI became part of the newly started research program FUCS (FUture Communication Systems) at UniK. In this program, the studentorganizing my employment; Tore Ulversøy for supporting efforts on future implementation of the ideas presented in this dissertation Full text thesis available via NDLTD (DiVA at Uppsala University) view all 8 results from NDLTD similar results
	9.	Feasibility of Smart Antennas for the Small Wireless Terminals Mostafa, Raqibul, Apr 2003is relatively a new concept that has seen its growth over the past few years. Both these smart antenna operations have been traditionally159 10.2 Future work Full text thesis available via NDLTD (Virginia Tech) view all 8 results from NDLTD similar results
	10.	12. Blind Methods for Wireless Communication Receivers [PDF-698K] Jan 2003Nokia Research Center, Radio Communicationsorder to update the channel estimate, thus wasting communicationlikelihood, and minimum-mean-square error

```
estimator. Typical...equalizer updates the channel estimate at the arrival...
       [http://www.calstatela.edu/centers/berp/docs/Blind%20Me...]
       similar results
11. Reduced rank adaptive filtering applied to interference mitigation in wideband CDMA
       systems
       1971- Sud, Seema, , Jan 2002
       ...research presented here shows how minimum mean square error (MMSE) receivers
       implemented via...18 2.3.2 Minimum Mean Square Error (MMSE): The Wiener
       Filter...Requirements . . . . . . . . 44 4 Minimum Mean Square Error (MMSE)/Rake
       Receivers 47 4.1 The...
       Full text thesis available via NDLTD (OCLC)
       view all 8 results from NDLTD
       similar_results
12. Microsoft Word - PhD Thesis.doc [PDF-4MB]
       Dec 2002
       ...Karampatsis. I would also like to thank all the present and past members of the
       Telecommunications Research Group who have provided...206 7.1 Recommendations for
       future research...
       [http://www.cl.cam.ac.uk/research/dtg/~mrdr3/PhD_Thesis...]
       similar results
 13. Layered space-time equalization for wireless MIMO systems
       Zhu, Xu / Murch, Ross David, article, Jun 2002
        ...Murch2, Senior Member, IEEE Center for Wireless Information...high-speed data
       transmission in future wireless communications...best data streams in the minimum
       mean square error (MMSE) sense are selected...are referred to as the "past" signals,
       and are expressed...matrix associated with the "past" BmI signals, which is...^][][~ iii iii
       FBVA past HH zzy sVxWs...
       Full text available from Hong Kong University of Science and Technology
       similar results
 14. sdma-ofdm-sample-chaps.dvi [PDF-2MB]
       Sep 2003
       He has co-authored 10 books on mobile radio communications, published about 400
       research papers, organised and chaired conference sessions, presented overview lectures
        and has been awarded a number of distinctions.
        [http://eprints.ecs.soton.ac.uk/8228/01/Samp Chaps 1%2C...]
        more hits from [http://eprints.ecs.soton.ac.uk]
       similar results
 15. Feasibility of smart antennas for the small wireless terminals
        1966- Mostafa, Raqibul, , Jan 2003
        ...is relatively a new concept that has seen its growth over the past few years. Both
        these smart antenna operations have been traditionally...159 10.2 Future work...
        Full text thesis available via NDLTD (OCLC)
       view all 8 results from NDLTD
        similar results
 16. sdma-ofdm-sample-chaps.dvi [PDF-2MB]
        Nov 2003
        He has co-authored 10 books on mobile radio communications, published about 400
        research papers, organised and chaired conference sessions, presented overview lectures
        and has been awarded a number of distinctions.
        [http://www-mobile.ecs.soton.ac.uk/comms/files/Samp%20C...]
        more hits from [http://www-mobile.ecs.soton.ac.uk]
        similar results
 Table of Contents [PDF-3MB]
        Apr 2003
```

		is relatively a new concept that has seen its growth over the past few years. Both these smart antenna operations have been traditionally159 10.2 Future work [http://scholar.lib.vt.edu/theses/available/etd-0428200] more hits from [http://scholar.lib.vt.edu] similar results
		A Rapid Prototype of an IEEE802.11a Synchronizer Olsson, Mattias, Jan 2002MAC Medium-Access Controller ML Maximum Likelihood MMSE Minimum-Mean- Square Error NLS Non-Linear Squares OFDM Orthogonal Frequency Division51 6 Conclusions 53 6.1 Ideas for future work
	19.	Code-aided interference suppression for DS/CDMA overlay systems - Proceedings of the IEEE [PDF-2MB] May 2003networking is largely centered and they are of increasingconsideration, the past quarter century hasthis area over the past 15 years. The focuspart by the New Jersey Center for Wireless Telecommunicationsattention over the past several decades, attractingthe optimum [in the minimum mean square error (MMSE) sense prediction [http://webuser.unicas.it/buzzi/PROCMar02.pdf] similar results
\$0.7 	20.	SYSTEM AND METHOD FOR NEAR OPTIMAL JOINT CHANNEL ESTIMATION AND DATA DETECTION FOR COFDM SYSTEMS LIN, Lang / CHUANG, Justin C. / LI, Ye (Geoffrey) (AT & T CORP.), PATENT COOPERATION TREATY APPLICATION, Aug 2001 patno:W00158105c), the corresponding channel estimate H (c) can be found. Consequently7) to obtain initial channel estimate explicitly without resortingtime instant n, given a channel estimate fl,,,n I initially obtaineddesigned to achieve the minimum mean square error (NMSE) of estimation Full text available at patent office. For more in-depth searching go to LexisNexi view all 4 results from Patent Offices similar results
	Re	sults Pages: [<< Prev] 1 2 [Next >>] back to top
		"channel estimate" AND past AND future AND center A Search ✓ Journal sources Preferred Web sources Other Web sources Exact phrase
		Downloads Library Partners Subscribe to News Updates User Feedback Advertising Tell A Friend Terms Of Service Privacy Policy Legal



About Us



Basic Search

Newsroom

Advanced Search Preferences

		"channel estimate" AND past AND future AND center A Search				
		Journal sources Preferred Web sources Other Web sources Exact phrase				
Searched for:: :All of the words: "channel estimate" AND past AND future AND center AND "minimum me						
	Found::	:30 total 0 journal results 13 preferred web results 17 other web results				
	Sort by::	:relevance date				
	Save che	cked results Email checked results Export checked results	Re			
21.	METHOD .	AND APPARATUS FOR A MIMO-OFDM COMMUNICATION SYSTEM	us			
		EV, Irina (QUALCOMM INCORPORATED), PATENT COOPERATION TREATY	foı <u>car</u>			
	APPLICATION, Jul 2003 patno: WO03058871					
	•	ne base station, and an "active" terminal is one that desires downlink and/or	<u>ch:</u> cos			
uplink data transmission in an upcoming or future time slot. Active terminals may						
	FIG. 1	erminals that are currently communicating. [1026] For the example shown in	<u>dal</u> de:			
	•	available at patent office. For more in-depth searching go to CexisNexi				
	view all 4	results from Patent Offices	eqı			
•	similar re		<u>fac</u>			
22.		FERATIVE DECISION FEEDBACK EQUALIZER WITH ERROR-CONROL CODING	<u>fee</u>			
CHAN, Albert M. / WORNELL, Gregory W. (MASSACHUSETTS INSTITUTE OF TECHNOLOGY), PATENT COOPERATION TREATY APPLICATION, Sep 2001			<u>iee</u>			
	patno:WC	00171996	<u>iee</u>			
		symbols in the past . Postcursor ISI is causedaffects symbols in the future . ead to severeenhancement, even when minimum mean-square error	<u>inf</u>			
		design criteriaconventional system employing a minimum mean-square	<u>mι</u>			
	error DF	E on severe -ISI channelsequalizers, including the minimum mean-square	ray			
		cision-feedback equalizer available at patent office. For more in-depth searching go to LexisNexi	<u>tra</u>			
		results from Patent Offices				
	similar re		Or			
23.		ION OF UPLINK RESOURSES IN A MULTI-INPUT MULTI-OUTPUT (MIMO)	Al			
		ICATION SYSTEM R. Stoven 1. (OUAL COMM INCORPORATED). PATENT COORERATION TREAT	, <u> </u>			
		D, Steven J. (QUALCOMM INCORPORATED) , <i>PATENT COOPERATION TREAT</i>) TION, Nov-2002	F			
	patno:WC	002093782				
		tes the channel response for "active"; terminals, which are terminals desiring to data during an upcoming or a future transmission interval. Active terminals				
	may inclu	ide terminals that are currently transmitting. The channel estimates may be				
		available at patent office. For more in-depth searching go to LexisNexi	S"			
	view all 4	results from Patent Offices				

similar results **24.** E [PS-318K] Aug 2003 ...nite number of past and future data symbols is...on non{adaptive channel{estimate} {based methods...proposed non{adaptive channel{estimate{based procedure...that achieves the minimum mean square error: MMSE UTC = 1... [http://www.utdallas.edu/~aldhahir/teg.ps] similar results **25.** Uppsala University Signals and Systems THE MULTIVARIABLE DECISION... [PDF-2MB] Dec 1999 ...parameters can be tuned to give a minimum mean-square error. The second DFE is de- rived under...equations for an optimum realizable minimum mean-square error DFE are obtained. The zero-forcing...obtaining the param- eters of a minimum meansquare error DFE and present the conditions... [http://www.signal.uu.se/Publications/pdf/a993.pdf] similar results **26.** MMSE Decision Feedback Equalizers: Finite-Length Results Naofal M.W.... [PS-313K] Aua 2003 ...Al-Dhahir is now with GE R&D Center in Schenectady, NY 12309...on the innite{length minimum{mean{square{error} decision feedback equalizer...4)) that consists of past symbols x k'1:k' (assumed...correctly detected) and N f future symbols x k+Nf '1:k+1 that...e 0 (16) resulting in a minimum mean square error (MMSE) of : MMSE = 1 e... [http://www.utdallas.edu/~aldhahir/firdfe.ps] similar results 27. Adaptive Wireless Transceivers: Turbo-Coded, Turbo-Equalised and... [PDF-2MB] Oct 2001 Minimum mean square error equalizer 489 11.2.1.3 Decision feedback equalizers 490 11.3 Multiuser... [http://eprints.ecs.soton.ac.uk/8253/02/Adaptive_Chaps_...] similar results 28. Adaptive Wireless Transceivers: TurboCoded, TurboEqualised and... [PS-8MB] Oct 2001 mean square error equalizer 489 11.2.1.3 Decision feedback equalizers 490 11.3 Multiuser... [http://www-mobile.ecs.soton.ac.uk/comms/files/bbb-book...] similar results **29.** Selective Interference Cancellation and Frame Synchronization for... [РОБ-7МВ] Jul 2000 ...technique is proposed for **future** packet radio system. The performance...27 3.2.4 Linear Minimum Mean-Square Error (MMSE) Receivers . . . 29...153 7 Summary and Future Work 154 7.1 Summary...154 7.2 Recommendation for Future Work... [http://scholar.lib.vt.edu/theses/available/etd-0731200...] similar results **30.** cover.dvi [PDF-902K] Dec 1999

Bibliography 131 Illustrations 1.1 Number...

similar results

[http://www.ece.rice.edu/~cavallar/theses/chaitali_phd....]



Results Pages: [<< Prev] 1 2 [Next >>]

· back to top

"channel estimate" AND past AND future AND center A Search

✓ Journal sources ✓ Preferred Web sources ✓ Other Web sources Exact phrase

<u>Downloads</u> | <u>Library Partners</u> | <u>Subscribe to News Updates</u> | <u>User Feedback</u> <u>Advertising</u> | <u>Tell A Friend</u> | <u>Terms Of Service</u> | <u>Privacy Policy</u> | <u>Legal</u>

Powered by FAST © Elsevier 2007



Home | Login | Logout | Access Information | Alerts | Purchase History | Cart |

Welcome United States Patent and Trademark Office

I□**I**Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((channel estimate matrix and past and future and center and minimum mean square error) <in>met..."

⊠ e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((channel estimate matrix and past and future and center and minimum mean square

Search

» Key

IEEE Journal or IEEE JNL

Check to search only within this results set

IET JNL

IET CNF

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

Magazine

IET Conference

Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

IEEE STD IEEE Standard

Help Contact Us Privacy &:

© Copyright 2006 IEEE -

Indexed by inspec*



Home | Login | Logout | Access Information | Alerts | Purchase History |

Welcome United States Patent and Trademark Office

□□Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((channel estimate and past and future and center and minimum mean square error) <in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((channel estimate and past and future and center and minimum mean square error)

Search

Check to search only within this results set

» Key

Display Format:

IEEE JNL

IEEE Journal or Magazine

Citation C Citation & Abstract

IET JNL IEEE CNF

IET CNF

IET Journal or Magazine

IEEE Conference

Proceeding

IET Conference

Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

Indexed by Inspec Contact Us Privacy &:

© Copyright 2006 IEEE -



Home | Login | Logout | Access Information | Alerts | Purchase History | Cart |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((channel estimate and past and future and minimum mean square error)<in>metadata)" Your search matched 0 documents.

⊠e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

Search

» Key

IEEE Journal or

Magazine

IEEE JNL **IET JNL**

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference Proceeding

IEEE STD IEEE Standard

((channel estimate and past and future and minimum mean square error)<in>metada

Display Format:

Check to search only within this results set

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Indexed by III Inspec Help Contact Us Privacy &:

Copyright 2006 IEEE -



Home | Login | Logout | Access Information | Alerts | Purchase History | Cart |

Welcome United States Patent and Trademark Office

AbstractPlus | Full Text: PDF(293 KB) IEEE CNF

⊒∛Search Res	sults	BROWSE -	SEARCH	IEEE XPLORE GUIDE			
Your search	matched 1 of 1666250 do	past and future) <in>metadata)" cuments. ed, 25 to a page, sorted by Relevance</in>	in Descending ord	⊠ е-па ler.			
» Search O _l	otions			•			
View Session	on History	Modify Search	•				
New Search	<u>h</u>	((channel estimate and past and futu	re) <in>metadata)</in>	Search			
		Check to search only within the	nis results set				
» Key		Display Format:					
IEEE JNL	IEEE Journal or Magazine						
IET JNL	IET Journal or Magazine	view selected items Select	All Deselect All				
IEEE CNF	IEEE Conference Proceeding	1. Optimal training over t	the Gauss-Markov	fading channel: a cutoff rate an			
IET CNF	IET Conference Misra, S.; Swami, A.; Tong, L.; Proceeding Acoustics, Speech, and Signal Processing, 2004. Proceedings. (ICASSP '04)						
IEEE STD IEEE Standard International Conference on Volume 3, 17-21 May 2004 Page(s):iii - 809-12 vol.3 Digital Object Identifier 10 1109/ICASSP 2004 1326668							

Rights and Permissions

Indexed by 聞 Inspec® Contact Us Privacy &:

© Copyright 2006 IEEE -